

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Lauren T. Emr on 6/7/10.

In claim 1 line 7 before “,” – and a filter cake - has been inserted; and in line 9 “0.1” has been changed to – 5 -, and before “.” - , and the pore size of the filter is greater than 50 μm and equal to or less than 150 μm – has been inserted.

Claims 3 and 14-16 have been canceled.

In claim 11 line 2 “CaCO₃” has been changed to – CaCO₃ -.

In claim 12 line 1 before “used” – is – has been inserted.

In the specification on page 9 line 1 "1 and 2" has been changed to - 1-3 -.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to /Peter A. Hruskoci/ whose telephone number is (571) 272-1160. The examiner can normally be reached on Monday through Friday from 8:00AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Peter A. Hruskoci/
Primary Examiner
Art Unit 1797

6/7/10